



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

VII. *Part of a Letter from the Rev<sup>d</sup> Mr. Thomas Lord, to William Folkes, Esq; F. R. S. concerning some Worms whose Parts live after they have been cut asunder.*

Read June 9.  
1743.

—AFTER I had, without Success, made several repeated Searches for the *Polypus*, in several Fishponds, and a small Stream in my Parish, I applied myself to collect the different Insects of various Sorts I had there met with, and which were of more than 30 Kinds, all which I put together; but some of them voraciously seized upon others, and devoured them, so that in a Day's time I had hardly any left, but a few of one Sort, which rolled themselves up like *Millepedes*, or *Hog-lice*, but were, upon the Whole, more of the *Leech* Kind, and could extend themselves about an Inch in Length. These I cut asunder, but the Pieces died in about 30 Hours after the Operation. I then recollected, that, in the Account \* published by Dr. *Mortimer*, mention is made of a *French* Gentleman, that had discovered *Water-worms*, that would live after cutting: I searched for all I could find fastened either upon rotten Wood, Leaves, Straws, or Stones, that I took out from the Bottom of the Water, and cut of every Sort asunder; but none lived above 48 Hours, except these I here send you. In one Glass are Four Pieces that now seem to be complete Worms, and the same as the Two in the other Phial: These Four Pieces, 12 Days since, were Two Worms: I cut them asunder with my

---

\* See these *Transactions*, N<sup>o</sup> 467.

Penknife, and found that each Part, from the First, continued vigorous and strong; and I could, by my naked Eye only, see that in Three Days the Ends where the Wounds were given, were grown sharper, and that they moved along like the intire Worms. I am, &c.

Wheltham in Suff.

June 1. 1743.

Thomas Lord.

*The Two intire Worms here mentioned to have been contained in one of the Phials sent up by Mr. Lord, were each cut presently after into Two Pieces, which soon after completed themselves, grew longer, and were several Weeks after in a vigorous and thriving Condition.*

---

# VIII. *A Letter from Dr. Parsons to Martin Folkes, Esq; President of the ROYAL SOCIETY, containing the Natural History of the Rhinoceros.*

S I R,

Read June 9.  
1743.

**A**Lthough many Authors have given Accounts and Figures of the *Rhinoceros* from time to time, and although there was one in *England* in 1685. yet how far were we from having the least Notion of his Form, when we came to see him in 1739. It was not difficult, even before the Arrival of the latter here, to discern an Uncertainty in the Figures that were exhibited of that Animal, because they differed so widely from each other;

Y y y 2